

# STRUCTURAL ATTACHMENT M-SERIES

## Finger Close Pipe Clamp

- Size Range: 1/2" through 2"
- Surface Finish: CADDY® COAT
- May be used for either vertical or horizontal installations
- Mounting hole for 1/4" bolt or rod



Part Number	Nominal Pipe Size	Max. Rec. Load (lbs)
812M	1/2" - 3/4"	100
16M	1"	100
20M	1-1/4"	100
24M	1-1/2"	100
32M	2"	100




# STRUCTURAL ATTACHMENT MCP-SERIES

## Finger Close Pipe Copper-tubing Clamp

- Size Range: 1/2" through 2"
- Surface Finish: Copper-colored coating (for identification purposes only)
- May be used for either vertical or horizontal installations
- Mounting hole for 1/4" bolt or rod

Part Number	Nominal Pipe Size	Max. Rec. Load (lbs)
812MCP	1/2" - 3/4"	100
16MCP	1"	100
20MCP	1-1/4"	100
24MCP	1-1/2"	100
32MCP	2"	100




# STRUCTURAL ATTACHMENT M-SERIES

## Hammer-on, Finger Close Pipe Clamp

- Size Range: 1/2" through 2"
- Surface Finish: CADDY® COAT
- Used to support pipe from beam flanges 1/8" to 3/4" thick
- Pipe/tube clip pivots a full 360°



Part Number	Flange Thickness	Nominal Pipe Size	Max. Rec. Load (lbs)
812M24	1/8" - 1/4"	1/2" - 3/4"	75
812M58	5/16" - 1/2"	1/2"	75
812M912	9/16" - 3/4"	1/2"	75
16M24	1/8" - 1/4"	1"	75
16M58	5/16" - 1/2"	1"	75
16M912	9/16" - 3/4"	1"	75
20M24	1/8" - 1/4"	1-1/4"	75
20M58	5/16" - 1/2"	1-1/4"	75
20M912	9/16" - 3/4"	1-1/4"	75
24M24	1/8" - 1/4"	1-1/2"	75
24M58	5/16" - 1/2"	1-1/2"	75
24M912	9/16" - 3/4"	1-1/2"	75
32M24	1/8" - 1/4"	2"	75
32M58	5/16" - 1/2"	2"	75
32M912	9/16" - 3/4"	2"	75



# STRUCTURAL ATTACHMENT MCP-SERIES

## Hammer-on, Finger Close Copper Tubing Clamp

- Size Range: 1/2" through 2"
- Surface Finish: Copper colored coating (for identification purposes only)
- Used to support copper tubing from beam flanges 1/8" to 3/4" thick
- Pipe/tube clip pivots a full 360°



Part Number	Flange Thickness	Nominal Pipe Size	Max. Rec. Load (lbs)
6MCP24	1/8" - 1/4"	1/2"	75
6MCP58	5/16" - 1/2"	1/2"	75
6MCP912	9/16" - 3/4"	1/2"	75
812MCP24	1/8" - 1/4"	1/2" - 3/4"	75
812MCP58	5/16" - 1/2"	1/2"	75
812MCP912	9/16" - 3/4"	1/2"	75
16MCP24	1/8" - 1/4"	1"	75
16MCP58	5/16" - 1/2"	1"	75
16MCP912	9/16" - 3/4"	1"	75
20MCP24	1/8" - 1/4"	1-1/4"	75
20MCP58	5/16" - 1/2"	1-1/4"	75
20MCP912	9/16" - 3/4"	1-1/4"	75
24MCP24	1/8" - 1/4"	1-1/2"	75
24MCP58	5/16" - 1/2"	1-1/2"	75
24MCP912	9/16" - 3/4"	1-1/2"	75
32MCP24	1/8" - 1/4"	2"	75
32MCP58	5/16" - 1/2"	2"	75
32MCP912	9/16" - 3/4"	2"	75

