



ORDERS

Purchase Order Message

UN/EDIFACT Version D.93A

ERICO International
31700 Solon Rd.
Solon, OH 44139

Preface

Purpose and Scope

The purpose of this guide is to provide ERICO's trading partners with the necessary information to be able to send Purchase Orders via EDI to ERICO. The material presented here covers the ORDERS transaction set of version D.93A of the UN/EDIFACT standard. Please contact ERICO for information on other standards and versions that are supported.

American National Standards Institute Accredited Standards Committee X12 and UN/EDIFACT

ERICO uses ANSI ASC X12 standard format transaction sets for the exchange of electronic documents with its EDI trading partners in North America and UN/EDIFACT standard in Europe. ERICO is a leader in the use of EDI in the Electrical Industry and firmly supports the use of both standards in EDI trading partner relationships. The use of such standards cultivates a common language between trading partners and expedites EDI setup.

Mandatory Requirements

To implement electronic purchase orders, ERICO requires a list of all locations. This list should include the business name of each location and the complete address including the street, city, state, and zip.

ERICO will use the ID (ILN) numbers you send or will assign an internal customer code to each location on the list that you supplied. It will be necessary to exchange electronic purchase orders to send a location code in the NAD segment that ERICO will cross reference to our internal customer code. If necessary, ERICO can supply those customer codes back to the trading partner to be sent in the NAD segment.

Communications

ERICO uses a third party Value Added Network to send and receive EDI transmissions. Below is our Network information and contact.

Network: IDX2
Network ID: 340961012 Qualifier :01
Network Contact: George Warren
Network Contact Phone Number: (925) 449-0606 x3722
Network Contact email: george.warren@activant.com

Additional Notes: It is important to understand that ERICO's Freight Policy applies. For freight policy information, go to <http://www.erico.com/globalSearch.asp?keywords=freight>

ERICO Terms and Conditions of sale can be found at:
<http://www.erico.com/public/library/Terms/TermsOfSaleEU.pdf>



Dear ERICO Customer,

Thank you for your interest in trading electronic documents with ERICO.
We look forward to working with you to implement EDI.

Please take time to fill out this document and send it back to me, along with a copy of your branch listing which should include the complete address as well as the location ID numbers.

In addition, we have found that making sure our customers have correct ERICO part numbers loaded in their system, makes sense for an easier implementation and post implementation.

If you can please send a spreadsheet of all the parts that are loaded in your system, we can scrub the file and help you correct any inaccurate data.

If you have any questions about any EDI issues please feel free to contact me, or in my absence any one of the persons listed below.

Thanks.

Best regards.

Sandra Müller
Jr. EDI Analyst
ERICO Europe B.V.
0031-13583-5134
smuller@erico.com

Adam Goch
Sr. EDI Analyst
ERICO International
001- (440) 528-3751
agoch@erico.com

Andy Hohman
EDI Team Lead
ERICO International
001- (440) 528-3718
ahohman@erico.com

EDI Trading Partner Profile

Trading Partner address

<i>Company name</i>	
Street	
Zip-code	
City	
Phone	
Number of branches	
Buying-group	

ERICO

EDI-Trading Partner

Contact person for EDI	Sandra Müller (NL) Adam Goch (USA)	
Phone	0031-13583-5134 001-440-528-3751 (USA)	
Fax	0800-1890274	
Email	smuller@erico.com agoch@erico.com	
System	AS400/Trusted Link/Premenos/BizManager	
Converter	EDI400	
Provider (VAN)	IDX	

EDIFACT

EDI Version

☐ D93A
 ☐ D96A
 ☐ D96B
 ☐ Others: _____

Transaction Sets

☐ INVOIC ☐ ORDERS ☐ ORDRSP ☐ DESADV

☐ Others:

ERICO x400 - Address

ERICO

EDI-Trading Partner

C	US	
ADMD	STERLING	
Privat Domain	GTS	
Surname	SERVICE	
Given name		
Organisation (O)		
Allg. Name (CN)		
Qualifier	ZZZ	
UNB Recipient ID	ERICOEDIFACT	

Others:

Table of Contents

ORDERS	PURCHASE ORDER MESSAGE	1
UNB	INTERCHANGE HEADER	4
UNH	MESSAGE HEADER	6
BGM	BEGINNING OF MESSAGE	7
DTM	DATE/TIME/PERIOD	8
FTX	FREE TEXT	9
Group 1	Segment Group 1	10
RFF	REFERENCE	11
DTM	DATE/TIME/PERIOD	12
Group 2	Segment Group 2	13
NAD	NAME AND ADDRESS	14
Group 3	Segment Group 3	16
RFF	REFERENCE	17
DTM	DATE/TIME/PERIOD	18
Group 4	Segment Group 4	19
DOC	DOCUMENT/MESSAGE DETAILS	20
DTM	DATE/TIME/PERIOD	22
Group 5	Segment Group 5	23
CTA	CONTACT INFORMATION	24
COM	COMMUNICATION CONTACT	25
Group 25	Segment Group 25	26
LIN	LINE ITEM	27
PIA	ADDITIONAL PRODUCT ID	28
IMD	ITEM DESCRIPTION	29
QTY	QUANTITY	30
DTM	DATE/TIME/PERIOD	31
DOC	DOCUMENT/MESSAGE DETAILS	32
Group 27	Segment Group 27	34
PRI	PRICE DETAILS	35
API	ADDITIONAL PRICE INFORMATION	36
Group 50	Segment Group 50	37
RFF	REFERENCE	38
FTX	FREE TEXT	39
UNS	SECTION CONTROL	40
CNT	CONTROL TOTAL	41
UNE	FUNCTIONAL GROUP TRAILER	42
UNZ	INTERCHANGE TRAILER	43

ORDERS PURCHASE ORDER MESSAGE

Message Status=2

Purpose: .A message specifying details for goods or services ordered underconditions agreed between the seller and the buyer.

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
	UNB	INTERCHANGE HEADER	M	1		Must use

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1	N1/0010	Must use
0020	BGM	BEGINNING OF MESSAGE	M	1	N1/0020	Must use
0030	DTM	DATE/TIME/PERIOD	M	35	N1/0030	Must use
0070	FTX	FREE TEXT	C	5	N1/0070	Used
0080		Segment Group 1	C	10	N1/0080	Used
0090	RFF	REFERENCE	M	1	N1/0090	Must use
0100	DTM	DATE/TIME/PERIOD	C	5	N1/0100	Used
0110		Segment Group 2	C	20	N1/0110	Used
0120	NAD	NAME AND ADDRESS	M	1	N1/0120	Must use
0150		Segment Group 3	C	10	N1/0150	Used
0160	RFF	REFERENCE	M	1	N1/0160	Must use
0170	DTM	DATE/TIME/PERIOD	C	5	N1/0170	Used
0180		Segment Group 4	C	5	N1/0180	Used
0190	DOC	DOCUMENT/MESSAGE DETAILS	M	1	N1/0190	Must use
0200	DTM	DATE/TIME/PERIOD	C	5	N1/0200	Used
0210		Segment Group 5	C	5	N1/0210	Used
0220	CTA	CONTACT INFORMATION	M	1	N1/0220	Must use
0230	COM	COMMUNICATION CONTACT	C	5	N1/0230	Used

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0930		Segment Group 25	C	200000	N2/0930	Used
0940	LIN	LINE ITEM	M	1	N2/0940	Must use
0950	PIA	ADDITIONAL PRODUCT ID	C	25	N2/0950	Used
0960	IMD	ITEM DESCRIPTION	C	10	N2/0960	Used
0980	QTY	QUANTITY	C	10	N2/0980	Used
1010	DTM	DATE/TIME/PERIOD	C	35	N2/1010	Used
1060	DOC	DOCUMENT/MESSAGE DETAILS	C	1	N2/1060	Used
1140		Segment Group 27	C	25	N2/1140	Used
1150	PRI	PRICE DETAILS	M	1	N2/1150	Must use
1170	API	ADDITIONAL PRICE INFORMATION	C	1	N2/1170	Used
1950		Segment Group 50	C	100	N2/1950	Used
1970	RFF	REFERENCE	C	5	N2/1970	Used
1990	FTX	FREE TEXT	C	5	N2/1990	Used

Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
2000	UNS	SECTION CONTROL	M	1	N3/2000	Must use

2020 **CNT** CONTROL TOTAL C 10 N3/2020 Used

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
	UNE	FUNCTIONAL GROUP TRAILER	C	1		Used
	UNZ	INTERCHANGE TRAILER	M	1		Must use

Clarification:

- 1/0010 A service segment starting and uniquely identifying a message. The message type code for the UN Order Message is 'ORDERS'. Note: Order messages conforming to this document must contain the following data in UNH, composite S009:Data element 0065 ORDERS 0052 D 0054 93A 0051 UN
- 1/0020 A segment by which the sender must uniquely identify the order by means of its name and number and when necessary its function.
- 1/0030 A segment specifying general dates and, when relevant, times related to the whole message. The segment must be specified at least once to identify the order date. Examples of the use of this DTM segment are: Lead times that apply to the whole of the Order and, if no schedule is to be specified, the delivery date. The Date/time/period segment within other Segment group should be used whenever the date/time/period requires to be logically related to another specified data item. e.g. Payment due date is specified within the PAT Segment group.
- 1/0070 A segment with free text information, in coded or clear form, used when additional information is needed but cannot be accommodated within other segments. In computer to computer exchanges such text will normally require the receiver to process this segment manually
- 1/0080 A group of segments for giving references and where necessary, their dates, relating to the whole message e.g. contract number, import/export license number, reservation number.
- 1/0090 A segment identifying the reference by its number and where appropriate a line number within a document.
- 1/0100 A segment specifying the date/time related to the reference.
- 1/0110 A group of segments identifying the parties with associated information.
- 1/0120 A segment identifying names and addresses of the parties, in coded or clear form, and their functions relevant to the order. Identification of the seller and buyer parties is mandatory for the order message. It is recommended that where possible only the coded form of the party ID should be specified e.g. The Buyer and Seller are known to each other, thus only the coded ID is required, but the Consignee or Delivery address may vary and would have to be clearly specified, preferably in structured format.
- 1/0150 A group of segments giving references only relevant to the specified party rather than the whole order.
- 1/0160 A segment identifying the reference by its number and where appropriate a line number within a document.
- 1/0170 A segment specifying the date and/or time related to the reference.
- 1/0180 A group of segments identifying the documentary requirements of the specified party.
- 1/0190 A segment identifying and providing information relating to the documents required by the party specified by the NAD segment. For example, the party may require a Certificate of Analysis.
- 1/0200 A segment specifying the date and/or time of the document.
- 1/0210 A group of segments giving contact details of the specific person or department within the party identified in the NAD segment.
- 1/0220 A segment to identify a person or department, and their function, to whom communications should be directed.
- 1/0230 A segment to identify a communications type and number for the contact specified in the CTA segment.
- 2/0930 SG50A group of segments providing details of the individual ordered items. This Segment group may be repeated to give sub-line details.
- 2/0940 A segment identifying the line item by the line number and configuration level, and additionally, identifying the product or service ordered. Other product identification numbers e.g. Buyer product number, etc. can be specified within the following PIA segment.
- 2/0950 A segment providing either additional identification to the products specified in the LIN segment (e.g. Harmonized System number), or provides any substitute product identification.
- 2/0960 A segment for describing the product or service being ordered as well as product characteristic. This segment should be used for products or services that cannot be fully identified by a product code or article number.
- 2/0980 A segment identifying the product quantities e.g. ordered quantity.
- 2/1010 A segment specifying date/time/period details relating to the line item only.
- 2/1060 A segment to indicate that a certificate/declaration of origin is required for the ordered article.
- 2/1140 A group of segments identifying the relevant pricing information for the goods or services ordered.

- 2/1150 A segment to specify the price type and amount. The price used in the calculation of the line amount will be identified as 'price'.
- 2/1170 A segment to identify pricing information such as a price multiplier, the class or type of trade and additionally identifying the reason for any changes.
- 2/1950 A group of segments identifying any rules, laws or regulations with which the supplier must comply to meet requirements e.g. building regulations, safety requirements, etc.
- 2/1970 A segment identifying the referenced document by its number and where appropriate, a line number.
- 2/1990 A segment with free text information, in coded or clear form, used when additional information is needed but cannot be accommodated within other segments. In computer to computer exchanges such text will normally require the receiver to process this segment manually.
- 3/2000 A service segment placed at the start of the summary section to avoid segment collision.
- 3/2020 A segment by which control totals may be provided by the sender for checking by the receiver.

UNB INTERCHANGE HEADER

Pos:	Max: 1
Group: N/A	Mandatory Elements: 6

User Option (Usage): Must use

Purpose: To start, identify and specify an interchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNB010	S001	SYNTAX IDENTIFIER	M	Comp		Must use
		Description: Identification of the agency controlling the syntax and indication of syntax level.				
UNB010-010	0001	Syntax identifier	M	a	4/4	Must use
		Description: Coded identification of the agency controlling a syntax and syntax level used in an interchange.				
		All valid standard codes are used.				
UNB010-020	0002	Syntax version number	M	n	1/1	Must use
		Description: Version number of the syntax identified in the syntax identifier (0001).				
		All valid standard codes are used.				
UNB020	S002	INTERCHANGE SENDER	M	Comp		Must use
		Description: Identification of the sender of the interchange.				
UNB020-010	0004	Sender identification	M	an	1/35	Must use
		Description: Name or coded representation of the sender of a data interchange.				
UNB020-020	0007	Partner identification code qualifier	C	an	1/4	Used
		Description: Qualifier referring to the source of codes for the identifiers of interchanging partners.				
		All valid standard codes are used.				
UNB020-030	0008	Address for reverse routing	C	an	1/14	Used
		Description: Address specified by the sender of an interchange to be included by the recipient in the response interchanges to facilitate internal routing.				
UNB030	S003	INTERCHANGE RECIPIENT	M	Comp		Must use
		Description: Identification of the recipient of the interchange.				
UNB030-010	0010	Recipient identification	M	an	1/35	Must use
		Description: Name or coded representation of the recipient of a data interchange.				
		Erico receive ids are:				
		ERICOEDIFACT 8711893000009				
UNB030-020	0007	Partner identification code qualifier	C	an	1/4	Used
		Description: Qualifier referring to the source of codes for the identifiers of interchanging partners.				
		Qualifier will be based off of which receiver ID is used				
		<u>Code</u>	<u>Name</u>			
		14	GS1			
		ZZZ	Mutually defined			
UNB040	S004	DATE/TIME OF PREPARATION	M	Comp		Must use

		Description: Date/time of preparation of the interchange.			
UNB040-010	0017	Date of preparation	M	n	6/6 Must use
		Description: Local date when an interchange or a functional group was prepared.			
UNB040-020	0019	Time of preparation	M	n	4/4 Must use
		Description: Local time of day when an interchange or a functional group was prepared.			
UNB050	0020	Interchange control reference	M	an	1/14 Must use
		Description: Unique reference assigned by the sender to an interchange.			
UNB060	S005	RECIPIENTS REFERENCE PASSWORD	C	Comp	Used
		Description: Reference or password as agreed between the communicating partners.			

UNH MESSAGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To head, identify and specify a Message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNH010	0062	Message reference number	M	an	1/14	Must use
Description: Unique message reference assigned by the sender.						
UNH020	S009	MESSAGE IDENTIFIER	M	Comp		Must use
UNH020-010	0065	Message type identifier	M	an	1/6	Must use
Description: Code identifying a type of message and assigned by its controlling agency.						
		<u>Code</u>	<u>Name</u>			
		ORDERS	Purchase order message			
UNH020-020	0052	Message type version number	M	an	1/3	Must use
Description: Version number of a message type.						
Version - D						
UNH020-030	0054	Message type release number	M	an	1/3	Must use
Description: Release number within the current message type version number (0052).						
Version - 93A						
UNH020-040	0051	Controlling agency	M	an	1/2	Must use
Description: Code identifying the agency controlling the specification, maintenance and publication of the message type.						
		<u>Code</u>	<u>Name</u>			
		UN	UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)			

BGM BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT/MESSAGE NAME	C	Comp		Used
Description: Identification of a type of document/message by code or name. Code preferred.						
BGM010-010	1001	Document/message name, coded	C	an	1/3	Used
Description: Document/message identifier expressed in code.						
		<u>Code</u>		<u>Name</u>		
		220		Order		
BGM020	1004	Document/message number	C	an	1/35	Used
Description: Reference number assigned to the document/message by the issuer.						

DTM DATE/TIME/PERIOD

Pos: 0030	Max: 35
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Purpose: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
		<u>Code</u>	<u>Name</u>			
		2	Delivery date/time, requested			
		137	Document/message date/time			
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
		<u>Code</u>	<u>Name</u>			
		102	CCYYMMDD			

FTX FREE TEXT

Pos: 0070	Max: 5
Conditional	
Group: N/A	Elements: 3

User Option (Usage): Used

Purpose: To provide free form or coded text information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	Text subject qualifier	M	an	1/3	Must use
		Description: Code specifying subject of a free text.				
		<u>Code</u>		<u>Name</u>		
		PUR		Purchasing information		
		ZZZ		Mutually defined		
FTX020	4453	Text function, coded	C	an	1/3	Used
		Description: Code specifying how to handle the text.				
		All valid standard codes are used.				
FTX040	C108	TEXT LITERAL	C	Comp		Used
		Description: Free text; one to five lines.				
FTX040-010	4440	Free text	M	an	1/70	Must use
		Description: Free text field available to the message sender for information.				
FTX040-020	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-030	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-040	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-050	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				

Segment Group 1

Pos: 0080	Repeat: 10
Conditional	
Group: 1	Elements: N/A

User Option (Usage): Used
Purpose:

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0090	RFF	REFERENCE	M	1	Must use
0100	DTM	DATE/TIME/PERIOD	C	5	Used

RFF REFERENCE

Pos: 0090	Max: 1
Mandatory	
Group: 1	Elements: 1

User Option (Usage): Must use

Purpose: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used.						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						

DTM DATE/TIME/PERIOD

Pos: 0100	Max: 5
Conditional	
Group: 1	Elements: 1

User Option (Usage): Used

Purpose: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used.						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used.						

Segment Group 2

Pos: 0110	Repeat: 20
Conditional	
Group: 2	Elements: N/A

User Option (Usage): Used
Purpose:

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0120	NAD	NAME AND ADDRESS	M	1	Must use
0150		Segment Group 3	C	10	Used
0180		Segment Group 4	C	5	Used
0210		Segment Group 5	C	5	Used

NAD NAME AND ADDRESS

Pos: 0120	Max: 1
Mandatory	
Group: 2	Elements: 8

User Option (Usage): Must use

Purpose: To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use
		Description: Code giving specific meaning to a party.				
		<u>Code</u>		<u>Name</u>		
		BY		Buyer		
		DP		Delivery party		
		IV		Invoicee		
		SU		Supplier		
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
		Description: Identification of a transaction party by code.				
NAD020-010	3039	Party id identification	M	an	1/17	Must use
		Description: Code identifying a party involved in a transaction.				
NAD020-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used.				
NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used.				
NAD040	C080	PARTY NAME	C	Comp		Used
		Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.				
NAD040-010	3036	Party name	M	an	1/35	Must use
		Description: Name of a party involved in a transaction.				
NAD040-020	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD040-030	3036	Party name	C	an	1/35	Used
		Description: Name of a party involved in a transaction.				
NAD050	C059	STREET	C	Comp		Used
		Description: Street address and/or PO Box number in a structured address: one to three lines.				
NAD050-010	3042	Street and number/p.o. box	M	an	1/35	Must use
		Description: Street and number in plain language, or Post Office Box No.				
NAD050-020	3042	Street and number/p.o. box	C	an	1/35	Used
		Description: Street and number in plain language, or Post Office Box No.				
NAD060	3164	City name	C	an	1/35	Used
		Description: Name of a city (a town, a village) for addressing purposes.				

NAD070	3229	Country sub-entity identification	C	an	1/9	Used
		Description: Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.				
NAD080	3251	Postcode identification	C	an	1/9	Used
		Description: Code defining postal zones or addresses.				
NAD090	3207	Country, coded	C	an	1/3	Used
		Description: Identification of the name of a country or other geographical entity as specified in ISO 3166.				

Segment Group 3

Pos: 0150	Repeat: 10
Conditional	
Group: 3	Elements: N/A

User Option (Usage): Used
Purpose:

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0160	RFF	REFERENCE	M	1	Must use
0170	DTM	DATE/TIME/PERIOD	C	5	Used

RFF REFERENCE

Pos: 0160	Max: 1
Mandatory	
Group: 3	Elements: 1

User Option (Usage): Must use

Purpose: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used.						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Used
Description: Number of the line in the document/message referenced in 1154 Reference number.						
RFF010-040	4000	Reference version number	C	an	1/35	Used
Description: To uniquely identify a reference by its revision number.						

DTM DATE/TIME/PERIOD

Pos: 0170	Max: 5
Conditional	
Group: 3	Elements: 1

User Option (Usage): Used

Purpose: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used.						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used.						

Segment Group 4

Pos: 0180	Repeat: 5
Conditional	
Group: 4	Elements: N/A

User Option (Usage): Used
Purpose:

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0190	DOC	DOCUMENT/MESSAGE DETAILS	M	1	Must use
0200	DTM	DATE/TIME/PERIOD	C	5	Used

DOC DOCUMENT/MESSAGE DETAILS

Pos: 0190	Max: 1
Mandatory	
Group: 4	Elements: 5

User Option (Usage): Must use

Purpose: To identify documents, either printed, electronically transferred, or referenced as specified in message description, including, where relevant, the identification of the type of transaction that will result from this message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DOC010	C002	DOCUMENT/MESSAGE NAME	M	Comp		Must use
		Description: Identification of a type of document/message by code or name. Code preferred.				
DOC010-010	1001	Document/message name, coded	C	an	1/3	Used
		Description: Document/message identifier expressed in code. All valid standard codes are used.				
DOC010-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used.				
DOC010-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used.				
DOC010-040	1000	Document/message name	C	an	1/35	Used
		Description: Plain language identifier specifying the function of a document/message.				
DOC020	C503	DOCUMENT/MESSAGE DETAILS	C	Comp		Used
		Description: Identification of document/message by number, status, source and/or language.				
DOC020-010	1004	Document/message number	C	an	1/35	Used
		Description: Reference number assigned to the document/message by the issuer.				
DOC020-020	1373	Document/message status, coded	C	an	1/3	Used
		Description: To identify the status of a document/message. All valid standard codes are used.				
DOC020-030	1366	Document/message source	C	an	1/35	Used
		Description: Indication of the source from which the printed information is to be or has been obtained.				
DOC020-040	3453	Language, coded	C	an	1/3	Used
		Description: Code of language (ISO 639-1988).				
DOC030	3153	Communication channel identifier, coded	C	an	1/3	Used
		Description: Code identifying the type of communication channel being used. All valid standard codes are used.				
DOC040	1220	Number of copies of document required	C	n	1/2	Used
		Description: Number of originals or copies of a document stipulated or referred to as being required.				

DOC050	1218	Number of originals of document required	C	n	1/2	Used
--------	------	---	---	---	-----	------

Description: Specification of the number of originals of a stipulated document that are required.

DTM DATE/TIME/PERIOD

Pos: 0200	Max: 5
Conditional	
Group: 4	Elements: 1

User Option (Usage): Used

Purpose: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
All valid standard codes are used.						
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
All valid standard codes are used.						

Segment Group 5

Pos: 0210	Repeat: 5
Conditional	
Group: 5	Elements: N/A

User Option (Usage): Used
Purpose:

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0220	CTA	CONTACT INFORMATION	M	1	Must use
0230	COM	COMMUNICATION CONTACT	C	5	Used

CTA CONTACT INFORMATION

Pos: 0220	Max: 1
Mandatory	
Group: 5	Elements: 2

User Option (Usage): Must use

Purpose: To identify a person or a department to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTA010	3139	Contact function, coded	C	an	1/3	Used
		Description: Code specifying the function of a contact (e.g. department or person). All valid standard codes are used.				
CTA020	C056	DEPARTMENT OR EMPLOYEE DETAILS	C	Comp		Used
		Description: Code and/or name of a department or employee. Code preferred.				
CTA020-010	3413	Department or employee identification	C	an	1/17	Used
		Description: Internal identification code.				
CTA020-020	3412	Department or employee	C	an	1/35	Used
		Description: The department or person within an organizational entity.				

COM COMMUNICATION CONTACT

Pos: 0230	Max: 5
Conditional	
Group: 5	Elements: 1

User Option (Usage): Used

Purpose: To identify a communication number of a department or as person to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
COM010	C076	COMMUNICATION CONTACT	M	Comp		Must use
Description: Communication number of a department or employee in a specified channel.						
COM010-010	3148	Communication number	M	an	1/25	Must use
Description: Complete communication number including country or area code when applicable. Also see: 3153 Communication channel identifier.						
COM010-020	3155	Communication channel qualifier	M	an	1/3	Must use
Description: Code identifying the type of communication channel being used. All valid standard codes are used.						

Segment Group 25

Pos: 0930	Repeat: 200000
Conditional	
Group: 25	Elements: N/A

User Option (Usage): Used

Purpose:

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0940	LIN	LINE ITEM	M	1	Must use
0950	PIA	ADDITIONAL PRODUCT ID	C	25	Used
0960	IMD	ITEM DESCRIPTION	C	10	Used
0980	QTY	QUANTITY	C	10	Used
1010	DTM	DATE/TIME/PERIOD	C	35	Used
1060	DOC	DOCUMENT/MESSAGE DETAILS	C	1	Used
1140		Segment Group 27	C	25	Used
1950		Segment Group 50	C	100	Used

LIN LINE ITEM

Pos: 0940	Max: 1
Mandatory	
Group: 25	Elements: 2

User Option (Usage): Must use

Purpose: To identify a line item and configuration.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	Line item number	C	n	1/6	Used
Description: Serial number designating each separate item within a series of articles..						
LIN030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
Description: Goods identification for a specified source.						
LIN030-010	7140	Item number	C	an	1/35	Used
Description: A number allocated to a group or item.						
LIN030-020	7143	Item number type, coded	C	an	1/3	Used
Description: Identification of the type of item number.						
		<u>Code</u>	<u>Name</u>			
		EN	International Article Numbering Association (EAN)			
		MF	Manufacturer's (producer's) article number			

PIA ADDITIONAL PRODUCT ID

Pos: 0950	Max: 25
Conditional	
Group: 25	Elements: 2

User Option (Usage): Used

Purpose: To specify additional or substitutional item identification codes.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PIA010	4347	Product id function qualifier	M	an	1/3	Must use
Description: Indication of the function of the product code.						
		<u>Code</u>	<u>Name</u>			
		1	Additional identification			
		5	Product identification			
PIA020	C212	ITEM NUMBER IDENTIFICATION	M	Comp		Must use
Description: Goods identification for a specified source.						
PIA020-010	7140	Item number	C	an	1/35	Used
Description: A number allocated to a group or item.						
PIA020-020	7143	Item number type, coded	C	an	1/3	Used
Description: Identification of the type of item number.						
		<u>Code</u>	<u>Name</u>			
		BP	Buyer's part number			
		EN	International Article Numbering Association (EAN)			
		SA	Supplier's article number			

IMD ITEM DESCRIPTION

Pos: 0960	Max: 10
Conditional	
Group: 25	Elements: 4

User Option (Usage): Used

Purpose: To describe an item in either an industry or free format.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IMD010	7077	Item description type, coded	C	an	1/3	Used
Description: Code indicating the format of a description.						
		<u>Code</u>		<u>Name</u>		
		F		Free-form		
IMD020	7081	Item characteristic, coded	C	an	1/3	Used
Description: Code specifying the item characteristic being described.						
All valid standard codes are used.						
IMD030	C273	ITEM DESCRIPTION	C	Comp		Used
Description: Code of a standard article description from a specified source.						
IMD030-040	7008	Item description	C	an	1/35	Used
Description: Plain language description of articles or products.						
IMD030-050	7008	Item description	C	an	1/35	Used
Description: Plain language description of articles or products.						
IMD040	7383	Surface/layer indicator, coded	C	an	1/3	Used
Description: Code indicating the surface or layer of a product that is being described.						
All valid standard codes are used.						

QTY QUANTITY

Pos: 0980	Max: 10
Conditional	
Group: 25	Elements: 1

User Option (Usage): Used

Purpose: To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS	M	Comp		Must use
Description: Quantity information in a transaction, qualified when relevant.						
QTY010-010	6063	Quantity qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a quantity.						
		<u>Code</u>	<u>Name</u>			
		21	Ordered quantity			
QTY010-020	6060	Quantity	M	n	1/15	Must use
Description: Numeric value of a quantity.						
QTY010-030	6411	Measure unit qualifier	C	an	1/3	Used
Description: Indication of the unit of measurement in which weight (mass),capacity, length, area, volume or other quantity is expressed.						

DTM DATE/TIME/PERIOD

Pos: 1010	Max: 35
Conditional	
Group: 25	Elements: 1

User Option (Usage): Used

Purpose: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
Description: Date and/or time, or period relevant to the specified date/time/period type.						
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a date, time or period.						
		<u>Code</u>	<u>Name</u>			
		2	Delivery date/time, requested			
		137	Document/message date/time			
DTM010-020	2380	Date/time/period	C	an	1/35	Used
Description: The value of a date, a date and time, a time or of a period in a specified representation.						
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
Description: Specification of the representation of a date, a date and time or of a period.						
		<u>Code</u>	<u>Name</u>			
		102	CCYYMMDD			

DOC DOCUMENT/MESSAGE DETAILS

Pos: 1060	Max: 1
Conditional	
Group: 25	Elements: 5

User Option (Usage): Used

Purpose: To identify documents, either printed, electronically transferred, or referenced as specified in message description, including, where relevant, the identification of the type of transaction that will result from this message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DOC010	C002	DOCUMENT/MESSAGE NAME	M	Comp		Must use
		Description: Identification of a type of document/message by code or name. Code preferred.				
DOC010-010	1001	Document/message name, coded	C	an	1/3	Used
		Description: Document/message identifier expressed in code. All valid standard codes are used.				
DOC010-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list. All valid standard codes are used.				
DOC010-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list. All valid standard codes are used.				
DOC010-040	1000	Document/message name	C	an	1/35	Used
		Description: Plain language identifier specifying the function of a document/message.				
DOC020	C503	DOCUMENT/MESSAGE DETAILS	C	Comp		Used
		Description: Identification of document/message by number, status, source and/or language.				
DOC020-010	1004	Document/message number	C	an	1/35	Used
		Description: Reference number assigned to the document/message by the issuer.				
DOC020-020	1373	Document/message status, coded	C	an	1/3	Used
		Description: To identify the status of a document/message. All valid standard codes are used.				
DOC020-030	1366	Document/message source	C	an	1/35	Used
		Description: Indication of the source from which the printed information is to be or has been obtained.				
DOC020-040	3453	Language, coded	C	an	1/3	Used
		Description: Code of language (ISO 639-1988).				
DOC030	3153	Communication channel identifier, coded	C	an	1/3	Used
		Description: Code identifying the type of communication channel being used. All valid standard codes are used.				
DOC040	1220	Number of copies of document required	C	n	1/2	Used
		Description: Number of originals or copies of a document stipulated or referred to as being required.				

DOC050	1218	Number of originals of document required	C	n	1/2	Used
--------	------	---	---	---	-----	------

Description: Specification of the number of originals of a stipulated document that are required.

Segment Group 27

Pos: 1140	Repeat: 25
Conditional	
Group: 27	Elements: N/A

User Option (Usage): Used
Purpose:

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1150	PRI	PRICE DETAILS	M	1	Must use
1170	API	ADDITIONAL PRICE INFORMATION	C	1	Used

PRI PRICE DETAILS

Pos: 1150	Max: 1
Mandatory	
Group: 27	Elements: 1

User Option (Usage): Must use

Purpose: To specify price information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRI010	C509	PRICE INFORMATION	C	Comp		Used
Description: Identification of price type, price and related details.						
PRI010-010	5125	Price qualifier	M	an	1/3	Must use
Description: Identification of a type of price.						
		<u>Code</u>		<u>Name</u>		
		AAA		Calculation net		
PRI010-020	5118	Price	C	n	1/15	Used
Description: The monetary value associated with a purchase or sale of an article, product or service.						
PRI010-050	5284	Unit price basis	C	n	1/9	Used
Description: Basis on which the unit price/rate applies.						
PRI010-060	6411	Measure unit qualifier	C	an	1/3	Used
Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.						

API ADDITIONAL PRICE INFORMATION

Pos: 1170	Max: 1
Conditional	
Group: 27	Elements: 3

User Option (Usage): Used

Purpose: To provide information concerning pricing related to

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
API010	4043	Class of trade, coded	C	an	1/3	Used
		Description: Code identifying the class of trade. All valid standard codes are used.				
API020	C138	PRICE MULTIPLIER INFORMATION	C	Comp		Used
		Description: Price multiplier and its identification.				
API020-010	5394	Price multiplier	M	n	1/12	Must use
		Description: Rate to be used to multiply a price.				
API020-020	5393	Price multiplier qualifier	C	an	1/3	Used
		Description: Type of price multiplier. All valid standard codes are used.				
API030	C262	REASON FOR CHANGE	C	Comp		Used
		Description: Code and/or description motivating a price or quantity				
API030-010	4295	Change reason, coded	C	an	1/3	Used
		Description: Identification of the reason for a change. All valid standard codes are used.				
API030-020	4294	Change reason	C	an	1/35	Used
		Description: Description of the reason for a change.				

Segment Group 50

Pos: 1950	Repeat: 100
Conditional	
Group: 50	Elements: N/A

User Option (Usage): Used
Purpose:

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
1970	RFF	REFERENCE	C	5	Used
1990	FTX	FREE TEXT	C	5	Used

RFF REFERENCE

Pos: 1970	Max: 5
Conditional	
Group: 50	Elements: 1

User Option (Usage): Used

Purpose: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
All valid standard codes are used.						
RFF010-020	1154	Reference number	C	an	1/35	Used
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						

FTX FREE TEXT

Pos: 1990	Max: 5
Conditional	
Group: 50	Elements: 4

User Option (Usage): Used

Purpose: To provide free form or coded text information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	Text subject qualifier	M	an	1/3	Must use
		Description: Code specifying subject of a free text.				
		<u>Code</u>		<u>Name</u>		
		ORI		Order instruction		
FTX020	4453	Text function, coded	C	an	1/3	Used
		Description: Code specifying how to handle the text.				
		All valid standard codes are used.				
FTX030	C107	TEXT REFERENCE	C	Comp		Used
		Description: Coded reference to a standard text and its source.				
FTX030-010	4441	Free text, coded	M	an	1/3	Must use
		Description: Free text in coded form.				
FTX030-020	1131	Code list qualifier	C	an	1/3	Used
		Description: Identification of a code list.				
		All valid standard codes are used.				
FTX030-030	3055	Code list responsible agency, coded	C	an	1/3	Used
		Description: Code identifying the agency responsible for a code list.				
		All valid standard codes are used.				
FTX040	C108	TEXT LITERAL	C	Comp		Used
		Description: Free text; one to five lines.				
FTX040-010	4440	Free text	M	an	1/70	Must use
		Description: Free text field available to the message sender for information.				
FTX040-020	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-030	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-040	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				
FTX040-050	4440	Free text	C	an	1/70	Used
		Description: Free text field available to the message sender for information.				

UNS SECTION CONTROL

Pos: 2000	Max: 1
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Purpose: To separate Header, Detail and Summary sections of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNS010	0081	Section identifier	M	a	1/1	Must use

Description: A character identifying the next section in a message.

<u>Code</u>	<u>Name</u>
S	Detail/summary section separation

CNT CONTROL TOTAL

Pos: 2020	Max: 10
Conditional	
Group: N/A	Elements: 1

User Option (Usage): Used

Purpose: To provide message control total.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CNT010	C270	CONTROL	M	Comp		Must use
Description: Control total for checking integrity of a message or part of a message.						
CNT010-010	6069	Control qualifier	M	an	1/3	Must use
Description: Determines the source data elements in the message which forms the basis for 6066 Control value.						
		<u>Code</u>	<u>Name</u>			
		1	Algebraic total of the quantity values in line items in a message			
		2	Number of line items in message			
CNT010-020	6066	Control value	M	n	1/18	Must use
Description: Value obtained from summing the values specified by the Control Qualifier throughout the message (Hash total).						

UNE FUNCTIONAL GROUP TRAILER

Pos:	Max: 1
Conditional	
Group: N/A	Elements: 2

User Option (Usage): Used

Purpose: To end and check the completeness of a functional group.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNE010	0060	Number of messages	M	n	1/6	Must use
		Description: A count of the number of messages in a functional group.				
UNE020	0048	Functional group reference number	M	an	1/14	Must use
		Description: Reference number for the functional group assigned by and unique within the sender's division, department etc.				

UNZ INTERCHANGE TRAILER

Pos:	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To end and check the completeness of an interchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNZ010	0036	Interchange control count	M	n	1/6	Must use
Description: Count either of the number of messages or, if used, of the number of functional groups in an interchange.						
UNZ020	0020	Interchange control reference	M	an	1/14	Must use
Description: Unique reference assigned by the sender to an interchange.						